

Declaration of Performance

Doors BA2011 Standard 64



Rev. DøP 82-29-P0005

The performance of the product is in conformity with the declared performance.
The declaration of performance is issued under the responsibility of JABS Group A/S.

On behalf of the producer:


Bo Christensen
Managing director

Odense, 2024-06-19

Product type
Identification

Exterior doorset
BA2011 Standard 64

Intended use

Dedicated for use in residential and public buildings

Manufacturer

JABS Group A/S, Cortex Park Vest 3
DK, 5230 Odense S, Denmark
phone +45 70231523, e-mail info@jabsgroup.com

The Assessment and Verification of Constancy of Performance (AVCP):

System 3

Harmonized standard & Notified Body:

EN 14351-1:2006 A2 -2016
Windows and doors - Product standard, Performance characteristics -
Part 1: windows and external pedestrian doorset

Notified Body:

Research Institutes og Sweden, NB 0402

Declared performance:	Door with panel	Glazed door<12%	Glazed door>12%
Resistance to wind load:	C3	C3	C3
Watertightness:	7B	7B	7B
Dangerous substances:	npd	npd	npd
Load bearing capacity of safety devices:	Passed	Passed	Passed
Acoustic performance:	26(-4;-3)	28(-4;-4)	28(-4;-4)
Thermal transmittance (U-value):	0,82	0,94	npd
Radiation properties:			
- Solar factor (gg-value):	npd	0,6	0,6
- Light transmittance (LTg-value):	npd	0,75	0,75
Air permeability:	4	4	4
Impact resistance	npd	3	3
Height	npd	npd	npd